
MERCHAN CYCLES LID



by courtesy of "Sporting Cyclist"

Directors:

D. W. BETTON

D. E. BETTON

W. BETTON

191, LONDON ROAD DERBY

Telephone 46304

Works: PONTEFRACT STREET,

OSMASTON PARK ESTATE,

DERBY. Telephone 46786

MERCIAN CYCLES LTD.

191 LONDON ROAD, DERBY

Telephone 46304

PRICE LIST

1st June, 1966

Prices are subject to alteration without notice, but a month's notice will be given where possible.

		£	s.	d.
SUPERLIGHT — Road or Track		19	19	0
VINCITORE — Road or Track		19	19	0
KING OF MERCIA		17	10	0
SUPER VIGORELLI (Campag Track ends)	17	10	0
SUPER VIGORELLI (Standard track ends		17	0	0
OLYMPIQUE ROAD FRAME		14	10	0
CAMPIONISSIMO ROAD FRAME		13	5	0

Any of the above models can be built into a complete cycle to your own specification. Details upon request.

STANDARD CYCLE PRICES

The "CAMPIONISSIMO"

	Price			P. Tax			To	Total		
	£	s.	d.		£	s.	d.	£	s.	d.
5 Speed Cyclo or Simplex	27	3	4	+	4	18	0	= 32	1	4
10 Speed Cyclo or Simplex	29	4	0	+	5	5	5	= 34	9	5
								= 35		
								= 39		
Single Speed								= 29		



MERCIAN CYCLES

The choice of Champions and Connoisseurs

Introducing the latest MERCIAN range of handbuilt frames, which are the outcome of skilful design, and backed by years of experience in all aspects of the cycling sport.

All our frames are precision built by skilled craftsmen in our own workshop — where 'bonus schemes' and 'piece work' are frowned upon. Customers are assured of personal attention regarding their requirements, as all frames are individually constructed, with painstaking attention paid to balance, design, and detail as required by you — the Connoisseur.

Used in Olympics, World Championships, National Championships, and major events all over the world.

OUR NAME IS YOUR GUARANTEE.

WE GUARANTEE that all MERCIAN frame sets are built in our own workshop.

THEY ARE GUARANTEED against defective workmanship and materials, excluding fair wear and tear, misuse, accident or neglect, for a period of five years from date of purchase.

STANDARD SPECIFICATIONS WILL BE ADHERED TO UNLESS REQUESTED.

THE SUPERLIGHT

FOR ROAD RACING and TIME TRIALING

All unnecessary ounces cut away, and built with our own hand cut Lugs of special design. The seat stays are brazed on to the seat tube — this method of seat stay fitting was pioneered by us and has since been copied by many.

This frame has proved over the years to give a perfectly rigid machine that responds to every ounce of effort.

STANDARD SPECIFICATION:

73° Head, 73° Seat, or 72° Head, 72° Seat
10½" Bottom Bracket height
2½" Fork Rake, Oval Forks
17¼" Chainstays
Clearance for 27" Wheels and Mudguards
Brazed on Fittings for 10 Speed Gears, with a
pip on down tube allowing any type of lever to be used.
Also Brake Eyes and Pump Pegs
"Italia" T.D Cross Head Set
T. D. Cross Bottom Bracket Set
OR TO YOUR OWN SPECIFICATION

STANDARD FINISH:

One colour with contrast Head and Seat Panel
ADDITIONAL BANDS Etc. EXTRA
CHROME PLATING TO ORDER

THE SUPERLIGHT TRACK

PROVED BY MANY TO BE THE IDEAL PURSUIT FRAME

THIS IS ONLY BUILT TO CUSTOMERS OWN SPECIFICATION




Olympique



King of Mercia




Superlight



Track End




Fork Crown



Vertical Dropout




Vincitore



Reinforced Bridge



Wrapover Seat Stays



Superlight Pattern

KING of MERCIA

The tried and tested Road-Racing Frame Designed from the pooled knowledge and experience of

International Riders.

Only first quality '531' D.B. Tubing is used along with Solid Forged Fork Crown, Prugnat or Nervex Professional Lugs to Wrap-over Seat Stays.

Complete cycles supplied to order.

STANDARD SPECIFICATION: 72° Head, 72° Seat

105" Bottom Bracket 21" Fork Rake 171" Chainstays Clearance for 27" wheels and mudguards Campag, Plain, or Vertical Dropouts Brazed on Fittings for 10 Speed Gears with a pip on down tube, allowing any type of lever to be used. Also Brake Eyes and Pump Pegs Italia T. D. Cross Head Fittings T.D.C. Bottom Bracket Fittings

ALLEN KEY SEAT LUG BOLT FITTING 7/6 extra OR TO CUSTOMERS' OWN SPECIFICATION

STANDARD FINISH:

One colour with contrast Head and Seat Panel Additional bands charged extra Chrome Plating to order

OLYMPIQUE ROAD FRAME

A ROAD RACING Frame which will be found equally efficient for Massed Start and Time Trial racing, incorporating Plain Dropouts only, but with Gear and Brake cable eyes

STANDARD SPECIFICATION — TO OUR DESIGN ONLY No other Specification accepted.

T. D. CROSS HEAD FITTINGS

T. D. CROSS BOTTOM FITTINGS

STANDARD FINISH:

ANY COLOUR AVAILABLE WITH CONTRASTING SEAT PANEL

ADDITIONAL BANDS EXTRA

THE VINCITORE

(THE WINNER)

For the customer who prefers intricate and fancy lug work, we are again producing such a frame. The "VINCITORE" is built with hand-cut lugs of special design, Campag ends (road or track), wrapover seatstays, etc., and to your own specification.

Italia T. D. Cross Head Fittings T. D. Cross Bottom Bracket Fittings

STANDARD FINISH:

One colour with contrasting Head and Seat Tube panel. Additional Bands etc. charged extra Chrome Plating to order

SUPER VIGORELLI

Designed for fast short distance Time Trials and handles superbly on any hard track, and built with lugs designed to give increased rigidity to make a really responsive machine for the connoisseur.

SPECIFICATION:

73° Head 73° SEAT
10½" Bracket Height
1¾" Round Forks
16¾" Chainstays
Standard Track Ends
½" Wrapover Seat Stays
Prugnat Italian Lugs
Clearance for 27" Wheels and Mudguards
Italia T. D. Cross Head Fittings
T.D. Cross Bottom Bracket Fittings
Allen Key Seat Lug Bolt Fitting 7/6d extra
Campag. Track Ends, or Reinforced Track
Ends - 10/- extra

OR TO CUSTOMERS' OWN SPECIFICATION

STANDARD FINISH:

One colour with Contrast Head and Seat Tube panel Additional Bands etc. charged extra Chrome Plating to order

THE CAMPIONISSIMO

Built with 'Nervex Serie Legere' Lug Sets, Reynolds '531' D.B. Tubing, Fork Blades, Seat and Chainstays, Dunlop H.P. Rims, Tyres and Tubes, Benelux or Simplex Gears, Brooks B15 Saddle, Weinmann Q.R. Brakes, Williams C34 Chain Set, G.B. Bars and Stem.

FINISH: Any colour available, Flamboyant or Enamel


ANY BANDS EXTRA

A good all-round machine with only first-class equipment used Specification: 72° Head, 72° Seat

2½" Fork Rake
10½" Bottom Bracket
17¼" Chainstay
Brazed-on Cable Eyes and Pump Pegs
Lamp Boss fitted as standard
Plain Rear Ends and no lever bosses to enable any
Gear to be used.
5 Speed Benelux, Simplex or Campag.
10 Speed Benelux, Simplex or Campag
Single Speed.

NO ALTERATION TO THE FRAME SPECIFICATION CAN BE ACCEPTED

Frame sizes: 19½" — 25".



MERCIAN CYCLES LTD.

191 LONDON ROAD, DERBY

Telephone 46304

1st JUNE 1966

RENOVATIONS TO ANY MAKE OF FRAME

£ s. d.

Frame and Forks stove enamelled	1 any	colour		2	5	0
Frame and Forks Flam or Silver				2	12	0
Coloured Head Tube					12	0
Coloured Band on Seat Tube					11	0
Extra Bands on Seat Tube			each		3	0
Lugs Lined					12	6
Small Dents filled in where possib					2	6
Mask up chrome						
Fork Crown, Front and Rear	r End	ls, Fron	t or Re	ear		
Dropouts			each		3	6
Head Lugs					5	0
Fitting Transfers						0
Strip and Re-assemble Head Fitti	ings	(new l	pearings	s)	5	0
Strip and re-assemble Bottom Bra)	5	0

CHROME PLATING			
	£	s.	d.
All Chrome Frame extra on price of Frame	6	0	0
Chrome Crown		12	0
Chrome Front Ends. Approx. 8")	1	0	0
Chrome Rear Ends. Approx. 8")	2	0	0
Chrome extra on ends—Front and Rear per inch		2	6
All Chrome Forks	1	10	0
Chrome Head Lugs	1	5	0
Chrome Front Dropouts)		10	0
Chrome Rear Dropouts)	1	0	0

Chrome plating for Repairs and Re-enamels add 25 per cent to above prices. This is for the additional work involved in preparing renovations for plating.

MERCIAN CYCLES LTD.

191 LONDON ROAD, DERBY

Telephone 46304

1st JUNE, 1966

REPAIR CHARGES TO ANY MAKE OF FRAME
The prices include the use of '531' tubing, fork blades
Seat or chainstays. All frames to be completely stripped as a second stripped.

seat	or chainstays.		The see	tuoi	115, 10		Jiac	ica,
	All frames to be con	plet	elv strip	ned n	O Test	on	eihi	ita
will	be taken for fittings le	ft in	or, stripp	ocu, n	o resp	JOH	SIUI	шту
	No responsibility will	be t	aken for	Fitti	nas da	ma	her	-
lost	which are left in Fr	ame	S.	1 10011	igo da	ща	geu	01
						f	s.	d
New	Bottom Bracket Shell						15	0
,,	Top Tube				7.3.	10000	15	0
,,	Down Tube				*****	12.0	LO STEEL	10 10000
1000000	Coot Tale					B.F.S	15	0
"			*****	*****	*****	12500	10	0
т,,	Head Tube and Lugs			*****		2	2	6
	and Down Tube		*****	*****		3	10	0
New	Top, Down, Head Tu	be a	nd Lugs			4	5	0
1 pa	ir Seat Stays including	Mud	dguard B	ridge			7	6
1 pa	ir Chain Stays				No. of Contract of		5	0

" Seat Tube		2	10	0
" Head Tube and Lugs		~	10	
T 1D T1	*****	4	2	6
Top and Down Tube		3	10	0
New Top, Down, Head Tube and Lugs		1	-	10.0
1 C.		4)	0
1 pair Seat Stays including Mudguard Bridge		2	7	6
1 pair Chain Stays		2	5	0
1 pair Seat Store and Deanset	*****	10000	0.00000000	_
1 pair Seat Stays and Dropouts		2	15	0
1 pair Chain Stays and Dropouts		2	15	0
Complete new rear Triangle with Simplex, Cyc	1	-	13	U
or Track en	ds	4	7	6

	or 1	rack er	lds	4	7	6
", ", ", Campag	g. or J.	.U.Y. 5	6 ends	4	15	0
New rear Dropouts only, Track S	Simple	x or Be	nelux	1	12	6
Campag. ends				2	200	0
New Front Dropouts				-	16	6
New Campag. Front Dropouts	R			1	1	0
New Pair Forks		••••		-	5.5	10000
New Fork Blades with Dropouts				100	17	6
New Fork Blades with Company	D			1	100	0
New Fork Blades with Campag.	Drop	outs		2	0	0
New Fork Column			*****	1	1	0
New Pump Pegs, Brake or Gear	Cable	Stops.	each		2	0
Simplex or Cyclo Lever Boss		- Tana			3	0
Campag. Gear Lever Boss	30		10		7	6
Campag. Gear Hanger brazed on	,				8	47255
New reinforced Brake and Mudg	mord l	Deidas	•••••			0
New Pottom Prides	uaru	bridge			8	6
New Bottom Bridge					5	0
Lamp Bracket Boss					3	0
Tunnel on Bottom Bracket					3	6
Re Track Frame and Forks					12	6
Re Track Forks			1		7	6
Mafac Bridge on Seat Stay		*****	11110		7	
Mofee "Diana" D. 1	*****	*****			1	6

	Tone Diopouts	 *****			10	
New	Campag. Front Dropouts	 	100000	1	1	(
New]	Pair Forks			2	17	
New]	Fork Blades with Dropouts	 ••••			15	1
New	Fork Plades with Commen 1	 *****		1	13	1

New Fork Blades with Campag. Dropouts		2	0	(
New Fork Column		1	1	- 8
New Pump Pegs, Brake or Gear Cable Stops,	each	1	2	- 33
Simplex or Cyclo Lever Ross	cacii		2)

C' 1	Jaur	c blops,	cacii	4	
Simplex or Cyclo Lever Boss				3	
Campag. Gear Lever Boss				7	
Compag Coor House 1				1	ď
Campag. Gear Hanger brazed on				8	1
New reinforced Broke and Muday		D-:1-	E BISH N	0	

New rainforced Droles and	11.1.		D '1		
New reinforced Brake and	Muag	uard	Bridge	 8	- 6
New Bottom Bridge				5	(
Lamp Bracket Boss				 3	(
Tunnel on Rottom Product				10.00	30

Tunnel on Bottom Bracket				3	
Re Track Frame and Forks				12	
Re Track Forks				7	
Mafac Bridge on Seat Stay		*****	1111101	7	
The Court of the c	*****	*****		1	Ų
Mafac "Driver" Brake parts B	razed o	n ner	hroba	10	

Re Track Forks				7
Mafac Bridge on Seat Stay			10.0	7
Mafac "Driver" Brake parts	Brazed	on nor	hroles	10
Remove Brazed on Bits - ea	s, Diazeu	on, per	Diake	10
Tronic to Diazon on Dits - Car				